

Coastline Chemical Inc.

SAFETY DATA SHEET

COMMANDER 51 HD EXTENDED LIFE ANTIFREEZE/COOLANT PREMIX

	SECTION 1 L PRODUCT AND		N	
Product Name:	COMMANDER 51	COMPANY IDENTIFICATIO		
Product Code:	PC51			
Primary Use(s):	NMOAT Truck Antifreeze & C	Coolant		
Manufactured By:	Coastline Chemical Inc.			
	30470 Energy Drive New Church, VA 23415, USA	Δ		
	www,prideantifreeze.com	1		
Telephone (General)	757.824.3831			
EMERGENCY TELEPHONE	CHEMTREC (800) 424-930	0		
	SECTION 2 – HAZAR	DIDENTIFICATION		
Physical State	Liquid, clear red color			
Odor	Mild, sweet odor			
Emergency Overview	This product presents no			
	specific emergency hazard			
Signal Word(s)	WARNING			
Hazard Statements	Causes Eye Irritation	Causes Skin Irritatio	n Harmful/Toxic If Swallowe	
	\wedge	\wedge		
Hazard Symbol	(H373)May cau	se kidney damage) 😯	(H302)Harmful if swallowed	
GHS CLASSIFICATIONS	Acute Oral Toxicity 5		5 Corrosion/Irritation Skin 3	
	Acute Inhalation	Serious Eye Damage/		
	•	Eye Irritation 2		
SE	CTION 3 - COMPOSITION/	INGREDIENT INFORMA	TION	
NAME	CAS No	EU INVENTORY	PERCENTAGE	
Ethane 1,2 - diol (monoethyler	ne 107-21-1	203-473-3	53 – 56	
glycol)		200 110 0		
2-(2 hydroxyethoxy) ethan-1-o	l 111-46-6	203-872-2	1 – 5	
(diethylene glycol)				
Water & proprietary additives	7732-18-5	231-791-2	Balance	

	SECTION 4 – FIRST AID MEASURES		
EYE CONTACT	Remove corrective lenses.Wash with cool water including under eyelid for mins. See doctor if irritation persists.		
SKIN CONTACT	Remove affected clothing, Wash with mild soap and water. Apply lotion for redness.		
INHALATION	Remove person to fresh air.		
INGESTION	Wash mouth and other contacted parts with water. Never give anything by mouth to an unconscious person. If conscious, give 1-2 glasses of water. Avoid alcohol. Contact doctor or poison control center.		
PHYSICAL NOTES	N/A		
	SECTION 5 – FIRE FIGHTING MEASURES		
Flash Point	Flash Point > 200 deg. F		
Combustion	Carbon Dioxide, Ash, Water		
Extinguishing Media (suitable)	Water, Foam, ABC Extinguisher		
(not suitable)	Unknown		
Special Hazards	Unknown		
Special Protective Equipment	Face Shield, Gloves, Self-contained air supply		
Sec	TION 6 – ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Safety Glasses and Gloves.		
Environmental Precautions	Collect product or waste and offer to environmental waste disposal company		
Cleanup Methods	Absorb and/or collect all spilled material put in suitable container and send to suitable hazmat collection service or landfill.		
Llondling	Section 7– Handling And Storage		
Handling Storage	Only use suppliers approved and labelled containers Store in clean, dry, ventilated place		
-	XPOSURE CONTROL AND PERSONAL PROTECTION		
Preventive Measures	ONLY USE SUPPLIED COONTAINER		
Engineering Controls	Provide fresh air at all times		
Personal Protection (recommended)			
EYE	wear safety glasses when transferring product		
RESPIRATOR	vear gloves when transferring product		
HAND	Normal Ventilation is sufficient		
	wear tubber gloves when transiering product		

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Olemon 3 -	PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE				
Physical State	Liquid			
Color	Clear Red			
Odor	Characteristic			
Odor Threshold	Unknown			
Important Health , Safety,				
Environmental Information				
pH (as supplied)	8.5 – 9.5			
Boiling Point	Above 200 deg. F			
Pour Point/Freezing (as supplied)	Freeze Point -51F/-46C			
Flash Point	260F/127C			
Oxidizing Properties	None			
Vapor Pressure	0.12 mm Hg @20C			
Specific Gravity	1.06 -1.07			
Water Solubility	Soluble			
Vapor Density (air =1)	2.1			
SEC	CTION 10 – STABILITY AND REACTIVITY			
Stability and Reactivity	Stable			
Incompatibility with various substances	Do not mix with strong acids			
Hazardous polymerization	Will not occur			
Hazardous decomposition products	When heated to decomposition, may emit toxic fumes			
	SECTION 11 – TOXICALOGICAL			
Detential Acute Health Effects (ingradia	n4)			
Potential Acute Health Effects (ingredie				
monoethylene glycol	LD oral rat = 4000 mg/kg; LD50 dermal rat=9500 mg/kg			
diethylene glycol	LD50 oral rat=12565 mg/kg; LD50 dermal rat=11890 mg/kg			
Acute Oral Effects	Can cause irritation to mouth, throat, and stomach. Large			
Acute Oral Effects	volume ingestion may cause depression of central nervous			
	system.			
	System.			
Potential Chronic Health Effects				
Chronic Effects:	None expected under normal use conditions			
Carcinogenicity:	Neither product nor its ingredients are listed by IARC, NTD or			
C <i>i</i>	OSHA			
Mutagenicity:	Not mutagenic			
Teratogenicity:	Not Teratogenic			
	~			
Sec	CTION 12 – ECOLOGICAL INFORMATION			
~	May be toxic to aquatic organisms			
	may be texte to aquatio organieme			
Aquatic Toxicity V				

S	ECTION 13 – DI	SPOSAL CONSIDERATIONS					
Waste Disposal Method:	Dispose of waste through hazardous waste contractor/recycler.						
Container Cleaning and Disposal:	Containers s	should be cleaned of residual product before disposal.					
	SECTION 14 – T	RANSPORT INFORMATION					
DOT Proper Shipping Name: Shipping Symbols: Hazard Class: UN Number: Packing Group: Label: Special Provisions (172.102):	Ethylene Gly Environment Environment Not regulate Not applicab Not applicab	Ethylene Glycol Environmental Hazard Environmental Hazard Not regulated unless shipping container holds at least 10,539 pounds. Not applicable Not applicable Not applicable					
Bulk Shipments DOT Proper Shipping Name: UN Number: Label Requirement:	UN 3082	Environmentally hazardous substance, liquid, n.o.s. (Ethylene glycol) UN 3082 Class 9, UN 3082					
S	SECTION 15 – REGULATORY INFORMATION						
EPA Regulations RCRA Hazardous Waste Number and RCRA Hazardous Waste Classification:		Unused product is not classified as a hazardous waste by RCRA criteria					
CERCLA Hazardous Substance and CERCLA Reportable Quantity:		Does not contain any ingredients listed as a CERCLA hazardous substance.					
SARA Toxic Chemical and SARA EHS:		Contains following substance which is listed in Title III: Ethylene Glycol. SARA 313 Information: SARA Hazard Category: An immediate health hazard A delayed health hazard					
OSHA Regulations:							
State Regulations Other:		All components listed on both TSCA (USA) and DSL (Canada) inventory.					
		CANADIAN WHMIS CLASSIFICATION: Class D, Division 2, Subdivision B (A toxic material causing other chronic effects)					

SECTION 16 – OTHER INFORMATION

Additional Hazard Rating Systems:

HMIS(USA) Health=1, Fire=1, Reactivity=0

Disclaimer: THE INFORMATION GIVEN HEREIN IS GIVEN IN GOOD FAITH AND FROM SOURCES WE BELIEVE RELIABLE. BUT NO WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS IS MADE.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not apply.

CONSULT Company listed in Section 1. FOR FURTHER INFORMATION.

Revised 2-05-2021