

Coastline Chemical Inc.

CHARGE 100 PRECHARGED ANTIFREEZE/COOLANT CONCENTRATE

SAFETY DATA SHEET

	SECTION 1 L PRODUCT AND	COMPANY IDENTIFICATION	I
Product Name:	CHARGE 100		
Product Code:	PFC100		
Primary Use(s):	Precharged Truck Antifreeze & Coolant		
Manufactured By:	Coastline Chemical Inc.		
	30470 Energy Drive	٨	
	New Church, VA 23415, US/ www,prideantifreeze.com	٩	
Telephone (General)	757.824.3831		
EMERGENCY TELEPHONE	CHEMTREC (800) 424-9300		
	SECTION 2 – HAZAR	DIDENTIFICATION	
In accordance with	OSHA HCS	29 CFR 1910-120	00
Physical State	Liquid, clear purple color		
Odor	Mild, sweet odor		
Emergency Overview	This product presents no		
Signal Word(a)	specific emergency hazard WARNING		
Signal Word(s) Hazard Statements	Causes Eye Irritation	Causes Skin Irritation	n Harmful/Toxic If Swallowed
Hazaru Statements			
Hazard Symbol GHS CLASSIFICATIONS	(H373)May cau Acute Oral Toxicity 4		H302)Harmful if swallowed Corrosion/Irritation Skin 3
GH3 CLASSIFICATIONS	Acute Oral Toxicity 4	Acute Definal Toxicity 5	Conosion/initiation Skin 3
	Acute Inhalation	Serious Eye Damage/	
	Toxicity 5	Eye Irritation 2E	3
Se	CTION 3 - COMPOSITION/	INGREDIENT INFORMAT	ΓΙΟΝ
NAME	CAS No	EU INVENTORY	PERCENTAGE
	<u> </u>		
Ethane 1,2 - diol (monoethyler	ie 107-21-1	203-473-3	90 – 95
glycol)			
2-(2 hydroxyethoxy) ethan-1-o	l 111-46-6	203-872-2	1 – 5
(diethylene glycol) Water & proprietary additives	7732-18-5	231-791-2	balance
water & proprietary additives	1132-10-5	231-791-2	Dalance

EYE CONTACT	Remove corrective lenses. Wash with cool water including under eyelid for 15		
SKIN CONTACT	mins. See doctor if irritation persists. Remove affected clothing, Wash with mild soap and water. Apply lotion for redness.		
INHALATION	Remove person to fresh air.		
INGESTION	Wash mouth and other contacted parts with water. Never give anything by		
	mouth to an unconscious person. If conscious, give 1-2 glasses of water. Avoid alcohol. Contact doctor or poison control center. N/A		
PHYSICAL NOTES			
	ECTION 5 – FIRE FIGHTING MEASURES		
Flash Point	Flash Point > 200 deg. F		
Combustion	Carbon Dioxide, Ash, Water		
Extinguishing Media (suitable)	Water, Foam, ABC Extinguisher		
(not suitable) Special Hazards	Unknown Unknown		
Special Protective Equipment	Face Shield, Gloves, Self-contained air supply		
	ION 6 – ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Safety Glasses and Gloves.		
Environmental Precautions	Collect product or waste and offer to environmental waste disposal company		
Cleanup Methods	Absorb and/or collect all spilled material put in suitable container and send to		
-	suitable hazmat collection service or landfill.		
S	Section 7– Handling And Storage		
	Only use suppliers approved and labelled containers		
-	Store in clean, dry, ventilated place		
SECTION 8 – EX	POSURE CONTROL AND PERSONAL PROTECTION		
Preventive Measures	ONLY USE SUPPLIED COONTAINER		
Engineering Controls	Provide fresh air at all times		
Personal Protection (recommended)			
EVEC			
EYES SKIN	wear salety glasses when transferring product		
RESPIRATORY	Wear gloves when transferring product Normal ventilation is sufficient		
HANDS	Wear rubber gloves when transferring product		

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid				
Physical State Color	Liquid Clear Purela				
Odor	Clear Purple				
Odor Threshold	Characteristic Unknown				
Important Health , Safety,	UTIKTIOWT				
Environmental Information					
	0.5 10.5				
pH (50%w/water sol'n)	9.5 – 10.5 About 200 dag E				
Boiling Point	Above 200 deg. F				
Pour Point/Freezing (50% w/water)	Freeze Point -34F/-37C				
Flash Point	260F/127C				
Oxidizing Properties	None				
Vapor Pressure	0.12 mm Hg @20C				
Specific Gravity	1.12 -1.13				
Water Solubility	Soluble				
Vapor Density (air =1)	2.1				
SECTION 10 – STABILITY AND REACTIVITY					
Stability and Reactivity	Stable				
Incompatibility with various substances	5				
Hazardous polymerization	Will not occur				
Hazardous decomposition products	When heated to decomposition, may emit toxic fumes				
	SECTION 11 – TOXICALOGICAL				
Potential Acute Health Effects (ingredie	nt)				
monoethylene glycol	LD oral rat = 4000 mg/kg; LD50 dermal rat=9500 mg/kg				
diethylene glycol	LD50 oral rat=12565 mg/kg; LD50 dermal rat=11890 mg/kg				
Acute Oral Effects	Can cause irritation to mouth, throat, and stomach. Large				
	volume ingestion may cause depression of central nervous				
	system.				
Potential Chronic Health Effects					
Chronic Effects:	None expected under normal use conditions				
Carcinogenicity:	Neither product nor its ingredients are listed by IARC, NTD or				
<u> </u>	OSHA				
Mutagenicity:	Not mutagenic				
Teratogenicity:	Not Teratogenic				
· · · · · · · · · · · · · · · · · · ·					
SEC	TION 12 – ECOLOGICAL INFORMATION				
May be toxic to aquatic organisms					
Aquatic Toxicity					

S	ECTION 13 - DISI	POSAL CONSIDERATIONS				
Waste Disposal Method:		aste through hazardous waste contractor/recycler.				
Container Cleaning and Disposal: Containers sho		ould be cleaned of residual product before disposal.				
Section 14 – Transport Information						
DOT Proper Shipping Name:						
Shipping Symbols:		Environmental Hazard				
Hazard Class:		Environmental Hazard				
UN Number:		Not regulated unless shipping container holds at least 10,539 pounds.				
Packing Group:	Not applicable					
Label:		Not applicable				
Special Provisions (172.102):	Not applicable					
Bulk Shipments						
DOT Proper Shipping Name:		Environmentally hazardous substance, liquid, n.o.s. (Ethylene glycol)				
UN Number:		UN 3082				
Label Requirement:	Class 9, UN 3	082				
S	ECTION 15 – REC	GULATORY INFORMATION				
EPA Regulations						
RCRA Hazardous Waste Number and	RCRA					
Hazardous Waste Classification:		Unused product is not classified as a hazardous waste by RCRA criteria				
CERCI A Hazardaya Substance and C						
CERCLA Hazardous Substance and CERCLA Reportable Quantity:		Does not contain any ingredients listed as a CERCLA hazardous substance.				
SARA Toxic Chemical and SARA EHS:		Contains following substance which is listed in Title III: Ethylene Glycol. SARA 313 Information:				
		SARA 313 Information: SARA Hazard Category: An immediate health hazard A delayed health hazard				
OSHA Regulations:						
State Regulations						
Other:		All components listed on both TSCA (USA) and DSL (Canada) inventory.				
		CANADIAN WHMIS CLASSIFICATION: Class D, Division 2, Subdivision B (A toxic material causing other chronic effects)				

SECTION 16 – OTHER INFORMATION

Additional Hazard Rating Systems: HMIS(USA) Health=1, Fire=1, Reactivity=0 Disclaimer: THE INFORMATION GIVEN HEREIN IS GIVEN IN GOOD FAITH AND FROM SOURCES WE BELIEVE RELIABLE. BUT NO WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS IS MADE.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not apply.

CONSULT Company listed in Section 1. FOR FURTHER INFORMATION.

Revised 2-05-2021